
Third Party Device Compatibility

Last updated: 8/30/18



Alarm

Advanced Keybus Integration

- Honeywell Vista Alarm Systems

Direct Integration

- Shot Tracer Eagle Gunshot Detector w/ POE

Compatible Standards

- Contact ID “POTS line replacement” via phone line connection
- Wired Dry Contact sensors



Access

Certified Systems

- Rosslare AYC-F60 Keypad and RFID card reader
- Rosslare Security Products: EM ISO Card Read Only Part # AT-ERS-26A-3001
- Rosslare Security Products EM KeyFob - Twist LF Read Only Cred. Format - 26A
- Door strike: SECO-LARM SD-996C-NUQ
- HID Proximity ProxPoint® Plus 6005
- Grandstream GDS3710 Video Door System
- ZKTeco Biometric Keypad F22
- Magnetic Card Reader: MagTek 21040102 USB Mini Swipe Reader

Compatible Standards

- Keypad Format: Single Key, Wiegand 4-bit
- Card or FOB Reader Format: 26-Bit Standard
- 12 volt door strike
- 12 volt magnetic lock



Control

Certified Systems

- Ubiquiti mPower mFi Power Strip (1, 3, or 8 outlets)
- Wattbox (2, 3, 8 outlets)
- Bluebolt Panamax (2 outlets)



Phone

Certified Systems - Automatically Programmable

- Grandstream GXV3240 IP Video Phone
- Grandstream DP720 DECT Cordless HD Handset
- Grandstream DP750 DECT Cordless VoIP Base Station

Certified Systems

- Grandstream GAC2500 WiFi Conference Bridge
- Grandstream GDS3710 Video Door System
- Any analog phone

Compatible Standards

- Any SIP phone (manual programming)

Local Fax Machines

Certified Systems

- HP LaserJet 200 colorMFP M276nw
- Canon PIXMA MX920
- Brother MFC-9130CW



Video (Cameras)

Certified Systems

- Hikvision InVid ELEV-P5BXIR - 5MP 2.8mm Outdoor mini bullet
- Hikvision InVid ULT-P4DRIR - 4MP 2.8mm Mini Rugged Dome

Compatible Standards

- ONVIF



Digital Signage

Compatible Standards

- HDMI